

SPECIFICATIONS

MAXIMUM SIZE GATE BODY

16 ft. wide (single gate) or 32 ft. wide (bi-parting gate), 12 ft. high

Alternating vertical 11 gauge steel channels and intermediate 3/16" steel flat bars, spaced approximately 5" apart, with

3 rows of 3/16" steel lattice bars riveted together though zinc plated steel washers and traveling on formed steel clips 14 gauge formed steel box channels

LEAD & REAR BARS

LOCKING

Hasp suitable for padlocking gate in closed position (full height lock post on single gate), pivoting steel tie-back arm to

hold gate in open position

BOTTOM ROLLERS

Machined steel ball bearing non-swivel double-wheel rollers in 14 gauge formed steel box channel bottom track with rubber


floor pads


TOP GUIDE FINISH WARRANTY Full height vertical 11 gauge steel channels traveling though 14 gauge formed steel box channel top track

Factory applied black or gray paint


One year limited warranty (excluding finish)

COMMON OPTIONS






High security keyed pin lock



Cylinder locking device




Gate cabinets surface mount shallow cabinet shown, recessed or deep cabinet designs available

OTHER OPTIONS

- JC-1000 "Quick Release"
- Unequal Pair Gates
- Floating Gate Sections
- Powder Coat Finish
- Mesh or Vinyl Privacy Curtain

GATE DETAILS TOP TRACK **REAR BAR** LOCK POST TIE-BACK HASP ARM LEAD BAR **BOTTOM** TRACK WITH FLOOR PADS

Single Gate (Left Stack Shown, Right Stack Opposite)



Bi-Parting Gate (With Hinged Bottom Track)

JAMB DETAILS



(Left Stack Shown, Right Stack Opposite)



Between Jamb Mount Single Gate (Left Stack Shown, Right Stack Opposite)






Between Jamb Mount Bi-Parting Gate


CLEARANCES:

Allow approximately 2" per ft. of gate width for stacking clearance.


HEAD DETAILS (Face mount details shown - between jamb mount similar)







Head Hung With Top & Bottom Roller*



Head Hung With Top Roller Only *

GENERAL NOTES:

Clearances are based upon standard gate construction. Some options may require additional clearance. Shop drawings for specific applications are available. Consult factory for any information not shown.

* Available as an option



4525 Littlejohn Street • Baldwin Park, CA 91706 (626) 960-2933 • Toll Free (866) 224-4283 • Fax (626) 869-0844 www.criterionproducts.com

FG-12/17